

FACTORY MUTUAL APPROVALS FOR SIKA ROOFING SYSTEMS

FM APPROVALS FOR EMEA PRODUCTS:

- SINGLE PLY ROOF SYSTEMS Sarnafil® AT, Sarnafil® T, Sikaplan® TM, Sikaplan® PVC
- BITUMINOUS ROOF SYSTEMS SikaShield®
- PHOTOVOLTAIC MOUNTING SYSTEM SarnaRoof® Solar Mount-2 (SSM2)





WORLDWIDE CONSTRUCTION AND INDUSTRY SOLUTIONS



Sika's history began in 1910 with the electrification of the Gotthard railway tunnels. The Swiss company founded by Kaspar Winkler played a decisive role in this momentous project. A revolutionary new waterproofing mortar was developed, marking the beginning of Sika's global reputation for high quality.

Today the Sika Group is a leading global manufacturer of construction chemical products and systems as well as industrial sealants and adhesives. The Group's core competencies – sealing, bonding, damping, reinforcing and protecting load-bearing structures – have been enabling a wide range of applications in the construction sector and in industrial production for over 100 years. The high-quality product range includes concrete admixtures, special mortars, sealants and adhesives, damping and reinforcing materials, floor coating systems, sealing membranes and corrosion protection products.

Sika annually produces a volume of roofing membrane that could cover the entire area of Manhattan. More than 10,000 roofing contractors in over 85 countries are Sika-trained and certified, which ensures qualified installation.

All our customers – developers, building owners, architects, engineers, consultants and contractors – receive expert advice from our highly competent team. Building on a foundation of trust, we offer our experience and knowledge to provide recommendations and long-lasting solutions for any project you may have.

Roofing can be selected and designed to meet the specific technical requirements and budget of almost any roofing project. Our tailored solutions allow freedom of design and form, with no limitations on geometry or color, to meet the specific requirements of any type of roof.

STRATEGIC SUCCESS THROUGH GLOBAL PRESENCE

- With subsidiaries in 103 countries, Sika offers local presence worldwide
- Sika operates over 400 production sites and sales locations
- Sika employs approx. 33,000 people worldwide
- The Sika umbrella brand covers some 980 Sika product trademarks
- In fiscal year 2023 the Sika Group achieved sales of approximately CHF 11.24 billion

SIKA ROOFING SYSTEMS WITH FM APPROVALS TESTING AND CERTIFICATION

WHO ARE FM GLOBAL AND WHAT ARE FM APPROVALS?

FM Global (Factory Mutual) provides comprehensive global commercial and industrial property insurance, engineering-driven underwriting and risk management solutions, plus innovative property loss prevention research and risk management. (www.fmglobal.com)

At its research and testing center - unique in the world - the causes of property damage and methods of damage prevention are examined under realistic site conditions, including the assessment of the effects of fire, wind, rain and other natural forces, plus explosions and the engineered protection systems for these.

Its subsidiary FM Approvals tests and certifies products and systems for property damage prevention to the highest performance, quality and safety standards.

Roofing products are covered by FM Approvals standard 4470, which is becoming increasingly important and recognized around the world, specifically now in Europe. Many more investors and building owners are requesting and obtaining FM Approvals Certificates on the systems used on their buildings for the preventive protection of their business against natural forces and fire.



FM APPROVALS CERTIFIED SIKA ROOFING SYSTEMS

Many Sika roof waterproofing products and systems have passed testing and inspection by FM Approvals since 1995. The products listed here are those currently tested and certified in different roof build-ups and combinations, and including different types of thermal insulation manufacturers in Europe. In addition to the strict and demanding FM Approvals criteria, all of these Sika roofing systems fully comply with all other relevant national and international requirements and standards.

The general combinations of Sika roofing system build-ups tested are shown in the following tables.

The referred FM assemblies are valid only for products supplied out of EMEA production plants.



SIKA ROOFING SYSTEMS WITH FM APPROVALS TESTING AND CERTIFICATION

WHAT IS TESTED?



1. WIND UPLIFT TESTING MEMBRANES

Simulated wind uplift forces as well as testing of the pull-off strength and impact resistance for relevant fastening components to verify the wind uplift security of Sika roofing systems.



4. EXTERNAL FIRE TESTING

Physically testing the flammability and flame propagation of the materials to verify the fire resistance of Sika roofing systems.



2. WIND UPLIFT TESTING PHOTOVOLTAIC

Simulated wind uplift test with eastwest oriented photovoltaic mounting system SarnaRoof® Solar Mount-2 installed on Sika roofing systems.



5. HAILSTONE DAMAGE TESTING

Simulated hail storms are used to verify the hailstone impact resistance of the Sika roofing systems.



3. INTERNAL FIRE TESTING

Cone calorimeter testing to assess the behaviour in fire of the Sika roofing systems in relation to ignitability, combustibility, and the production of smoke and toxic gases.



6. WATERTIGHTNESS - LEAK TESTING

Artificial weathering and liquid water resistance testing to verify the outstanding watertightness of Sika roofing systems.



7. FOOT TRAFFIC TESTING

Physical and simulated walking and load testing to verify the pedestrian and traffic resistance of Sika roofing systems.



8. TEAR RESISTANCE TESTING

Testing the fixings and fasteners to verify the pull-out strength and tear resistance of Sika roofing systems.



9. CORROSION TESTING

Testing the fixings and fasteners to verify the corrosion resistance and durability of Sika roofing systems.

FPO – MECHANICALLY FASTENED ROOF SYSTEMS ON STEEL DECK OR CONCRETE DECK

Sarnafil® OR Sikaplan® MECHANICALLY FASTENED FPO ROOF WATERPROOFING MEMBRANE AND THERMAL INSULATION ON STEEL DECK OR CONCRETE DECK

Roofing Waterproofing Membrane (Cover - Single-ply)		
Sika Services AG	Sarnafil® AT-15 / 18 / 20 Sarnafil® TS 77-12 / 15 / 18 / 20 Sarnafil® TS 77-12 E / 15 E / 18 E / 20 E Sikaplan® TM-12 / 15 / 18	E = enhanced fire rating
Spot Fastening or Indu	iction Welding of Roof Waterproofing Membran	e (Securement – Cover)
Sika Services AG	Different faste	ning solutions
SFS Group Schweiz AG	Different faste	ening solutions
	Thermal Insulation (Insulation - Board Stock)	
Sika Services AG	Sikatherm® PIR GT Sikatherm® PIR AL	Polyisocyanurate / polyurethane (PIR / PUR)
Kingspan Insulation Ltd	Therma TR 26 Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)
Recticel NV	Eurothane® Powerdeck®	Polyisocyanurate / polyurethane (PIR / PUR)
Rockwool	Hardrock Durock	Mineral wool
Faste	ning of Thermal Insulation (Securement - Board	Stock)
Sika Services AG	Different fastening solutions	
SFS Group Schweiz AG	Different fastening solutions	
Vapour- Control Layers / Barriers (Vapor Retarder)		
Sika Services AG	Sarnavap® 1000 E Sarnavap® 2000 E Sarnavap® 5000 E SA FR	
Roof Deck (Deck)		
Steel or Reinforced Concrete (Structural Concrete)		





FPO – MECHANICALLY FASTENED ROOF SYSTEMS ON STEEL DECK

Sarnafil® MECHANICALLY FASTENED FPO ROOF WATERPROOFING MEMBRANE, COVERBOARD AND THERMAL INSULATION ON STEEL DECK

Roofing Waterproofing Membrane (Cover – Single-ply)		
Sika Services AG	Sarnafil® AT-15 / 18 / 20 Sarnafil® 77-12 / 15 / 18 / 20 Sarnafil® 77-12 E / 15 E / 18 E / 20 E	E = enhanced fire rating
Spot Fastening or Indu	action Welding of Roof Waterproofing Membran	e (Securement – Cover)
Sika Services AG	Different faste	ning solutions
SFS Group Schweiz AG	Different faste	ening solutions
	Coverboard (Cover Board)	
Georgia-Pacific Gypsum LLC	DensDecl	< [®] Prime
Fa	stening of Coverboard (Securement - Cover Boa	rd)
Sika Services AG	Sarnafast® SBF 6.0 and IF/IG-C-82 x 40	
SFS Group Schweiz AG	BS-6.1 and IF/IG-C-82 x 40	
	Thermal Insulation (Insulation - Board Stock)	
Sika Services AG	Sikatherm® PIR GT Sikatherm® PIR AL	Polyisocyanurate / polyurethane (PIR / PUR)
Kingspan Insulation Ltd	Therma TR 26 Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)
Recticel NV	Eurothane® Powerdeck®	Polyisocyanurate / polyurethane (PIR / PUR)
Rockwool		Mineral wool
Faster	ning of Thermal Insulation (Securement - Board	Stock)
Sika Services AG	Different fastening solutions	
SFS Group Schweiz AG	Different faste	ening solutions
Vapour- Control Layers / Barriers (Vapor Retarder)		
Sika Services AG	Sarnavap® 1000 E Sarnavap® 2000 E Sarnavap® 5000 E SA FR	
Roof Deck (Deck)		
Steel		



FPO – MECHANICALLY FASTENED ROOF SYSTEMS WITH PHOTOVOLTAIC MOUNTING SYSTEM ON STEEL DECK

PHOTOVOLTAIC MOUNTING SYSTEM ON TOP OF MECHANICALLY FASTENED FPO ROOF WATERPROOFING MEMBRANE, COVERBOARD AND THERMAL INSULATION ON STEEL DECK

Photovoltaic Mounting System (Coating / Surfacing)			
Sika Services AG	SarnaRoof® Mount-2		
Roo	Roofing Waterproofing Membrane (Cover – Single-ply)		
Sika Services AG	Sarnafil® 77-15 / 18 / 20 Sarnafil® 77-15 E / 18 E / 20 E	E = enhanced fire rating	
	Coverboard (Cover Board) – optional		
Georgia-Pacific Gypsum LLC	DensDec	k® Prime	
Spot Fastening or Indu	ction Welding of Roof Waterproofing Membran	e (Securement – Cover)	
Sika Services AG	Different faste	ening solutions	
SFS Group Schweiz AG	Different faste	ening solutions	
Thermal Insulation (Insulation – Board Stock)			
Sika Services AG	Sikatherm® PIR GT Sikatherm® PIR AL	Polyisocyanurate / polyurethane (PIR / PUR)	
Kingspan Insulation Ltd	Therma TR 26 Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)	
Recticel NV	Eurothane [®] Powerdeck [®]	Polyisocyanurate / polyurethane (PIR / PUR)	
Rockwool		Mineral wool	
Faster	ing of Thermal Insulation (Securement - Board	Stock)	
Sika Services AG	Different fastening solutions		
SFS Group Schweiz AG	Different fastening solutions		
Vapour- Control Layers / Barriers (Vapor Retarder)			
Sika Services AG	Sarnavap® 1000 E Sarnavap® 2000 E Sarnavap® 5000 E SA FR		
Roof Deck (Deck)			
Steel			



PVC - MECHANICALLY FASTENED ROOF SYSTEMS ON STEEL DECK OR CONCRETE DECK

Sikaplan® MECHANICALLY FASTENED PVC ROOF WATERPROOFING MEMBRANE AND THERMAL INSULATION ON STEEL DECK OR CONCRETE DECK


R	oofing Waterproofing Membrane (Cover - Single-	ply)	
Sika Services AG	Sikaplan® G -15 / 18 / 20 Sikaplan® VG-12 / 15 / 18	Enhanced fire rating	
Spot Fastening or Inc	duction Welding of Roof Waterproofing Membran	e (Securement - Cover)	
Sika Services AG	Different faste	Different fastening solutions	
SFS Group Schweiz AG	Different faste	ening solutions	
	Thermal Insulation (Insulation - Board Stock)		
Sika Services AG	Sikatherm® PIR GT Sikatherm® PIR AL	Polyisocyanurate / polyurethane (PIR / PUR)	
Kingspan Insulation Ltd	Therma TR 26 Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)	
Recticel NV	Eurothane® Powerdeck®	Polyisocyanurate / polyurethane (PIR / PUR)	
Rockwool	Hardrock Durock	Mineral wool	
Fast	ening of Thermal Insulation (Securement - Board	Stock)	
Sika Services AG	Different faste	Different fastening solutions	
SFS Group Schweiz AG	Different faste	Different fastening solutions	
	Vapour- Control Layers / Barriers (Vapor Retarde	r)	
Sika Services AG	Sarnavap® 500 E Sarnavap® 1000 E Sarnavap® 2000 E Sarnavap® 5000 E SA FR		
	Roof Deck (Deck)		
	Steel or Reinforced Concrete (Structural Concrete)	



FPO – SELF ADHERED ROOF SYSTEMS ON STEEL DECK

Sarnafil® SELF ADHERED FPO ROOF WATERPROOFING MEMBRANE WITH MECHANICALLY FASTENED COVERBOARD AND THERMAL INSULATION ON STEEL DECK

Roofing Waterproofing Membrane (Cover – Single-ply)		
Sika Services AG	Sarnafil® TG 76-15 FSA / 18 FSA / 20 FSA	FSA = Felt Self Adhered
	Coverboard (Cover Board)	
Georgia-Pacific Gypsum LLC	DensDeck® Prime	
Fa	stening of Coverboard (Securement - Cover Boa	rd)
Sika Services AG	Sarnafast® SBF 6.0	and IF/IG-C-82 x 40
SFS Group Schweiz AG	BS-6.1 and IF	F/IG-C-82 x 40
Thermal Insulation (Insulation – Board Stock)		
Sika Services AG	Sikatherm® PIR GT	Polyisocyanurate / polyurethane (PIR / PUR)
Kingspan Insulation Ltd	Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)
V	apour- Control Layers / Barriers (Vapor Retarde	r)
Sarnavap® 1000 E Sika Services AG Sarnavap® 2000 E Sarnavap® 5000 E SA FR		
Thermal Barrier – optional		
Georgia-Pacific Gypsum LLC	DensDeck® Prime DensDeck®	
Roof Deck (Deck)		
Steel		



FPO – ADHERED ROOF SYSTEMS ON STEEL DECK

Sarnafil $^{\circ}$ ADHERED FPO ROOF WATERPROOFING MEMBRANE WITH MECHANICALLY FASTENED COVERBOARD AND THERMAL INSULATION ON STEEL DECK

Roofing Waterproofing Membrane (Cover - Single-ply)		
Sika Services AG Sarnafil® TG 76-15 Felt PS / 20 Felt PS		
Adhesion	of Roof Waterproofing Membrane (Securemen	t – Cover)
Sika Services AG Sarnacol®-2142 S		
	Coverboard (Cover Board)	
Georgia-Pacific Gypsum LLC	DensDec	k [®] Prime
Fa	stening of Coverboard (Securement - Cover Boa	rd)
Sika Services AG	Sarnafast® SBF 6.0 and IF/IG-C-82 x 40	
SFS Group Schweiz AG	BS-6.1 and IF/IG-C-82 x 40	
Thermal Insulation (Insulation – Board Stock)		
Sika Services AG	Sikatherm® PIR GT	Polyisocyanurate / polyurethane (PIR / PUR)
Kingspan Insulation Ltd	Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)
v	apour- Control Layers / Barriers (Vapor Retarde	r)
Sika Services AG	Sarnavap® 1000 E Sarnavap® 2000 E Sarnavap® 5000 E SA FR	
Thermal Barrier – optional		
Georgia-Pacific Gypsum LLC	DensDeck® Prime DensDeck®	
Roof Deck (Deck)		
Steel		



FPO – SELF ADHERED ROOF SYSTEMS ON CONCRETE DECK

Sarnafil® SELF ADHERED FPO ROOF WATERPROOFING MEMBRANE WITH COVERBOARD AND THERMAL INSULATION ON CONCRETE DECK

Roofing Waterproofing Membrane (Cover – Single-ply)		
Sika Services AG	Sarnafil® TG 76-15 FSA / 18 FSA / 20 FSA	FSA = Felt Self Adhered
	Coverboard (Cover Board)	
Georgia-Pacific Gypsum LLC	DensDeck® Prime	
Fa	stening of Coverboard (Securement - Cover Boa	rd)
OMG	OlyBond 500® A	dhesive Fastener
	Thermal Insulation (Insulation - Board Stock)	
Sika Services AG	Sikatherm® PIR GT	Polyisocyanurate / polyurethane (PIR / PUR)
Kingspan Insulation Ltd	Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)
Adhes	ion of Thermal Insulation (Securement - Board	Stock)
	Hot Asphalt	
Substrate Primer		
Concrete Primer, Asphaltic		
Roof Deck (Deck)		
Reinforced Concrete (Structural Concrete)		



FPO – ADHERED ROOF SYSTEMS ON CONCRETE DECK

Sarnafil® SELF ADHERED FPO ROOF WATERPROOFING MEMBRANE WITH COVERBOARD AND THERMAL INSULATION ON CONCRETE DECK

Roofing Waterproofing Membrane (Cover – Single-ply)		
Sika Services AG	Sarnafil® TG 76-15 Felt PS / 18 Felt PS / 20 Felt PS	
Adhesion	of Roof Waterproofing Membrane (Securemen	t – Cover)
Sika Services AG	Sarnacol ^o	⁹ -2142 S
	Coverboard (Cover Board)	
Georgia-Pacific Gypsum LLC DensDeck® Prime		k® Prime
Adhesion of Coverboard (Securement – Cover Board)		
OMG OlyBond 500® Adhesive Fastener		dhesive Fastener
	Thermal Insulation (Insulation - Board Stock)	
Sika Services AG	Sikatherm® PIR GT	Polyisocyanurate / polyurethane (PIR / PUR)
Kingspan Insulation Ltd	Therma TR 27	Polyisocyanurate / polyurethane (PIR / PUR)
Adhes	ion of Thermal Insulation (Securement - Board	Stock)
Hot Asphalt		
Substrate Primer		
Concrete Primer, Asphaltic		
Roof Deck (Deck)		
Reinforced Concrete (Structural Concrete)		



BITUMINOUS – TORCH APPLIED / SELF ADHERED ROOF SYSTEMS ON STEEL DECK

SikaShield® TORCH APPLIED / SELF ADHERED BITUMINOUS ROOF WATERPROOFING WITH MECHANICALLY FASTENED THERMAL INSULATION ON STEEL DECK

Roofing Waterproofing Cap Sheet (Cap Ply)			
Sika Services AG	Services AG SikaShield® HB79 MG 4 mm		
Adhesion of Cap Sheet to Base Sheet (Securement form Cap Ply to Base Ply)			
	Torched		
	Roofing Waterproofing Base Sheet (Base Ply)		
Sika Services AG	SikaShield® E54 PE 3 mm (torch applied) SikaShield® E74 PE SA 3 mm (self adhered)		
Adhesion o	f Base Sheet to Thermal Insulation (Securement	- Base Ply)	
	Torched / Self Adhered		
	Thermal Insulation (Insulation - Board Stock)		
Kingspan Insulation Ltd	Therma TR 24 Therma TR 27	Polyisocyanurate / Polyurethane (PIR / PUR) Polyisocyanurate / Polyurethane (PIR / PUR)	
Rockwool Ltd	Hardrock Multifix (DD)	Mineral wool	
Faster	ning of Thermal Insulation (Securement - Board	Stock)	
Sika Services AG	Sika Services AG Sarnafast® SBF 6.0 and Sarnafast® DTL 70 x 70		
SFS Group Schweiz AG	BS-4.8 and R75		
OMG	Different fastening solutions		
V	apour- Control Layers / Barriers (Vapor Retarde	r)	
Sika Services AG	Sarnavap® 1000 E Sarnavap® 2000 E Sarnavap® 5000 E SA FR		
Thermal Barrier – optional			
Georgia-Pacific Gypsum LLC	DensDeck® Prime DensDeck®		
Sitek Insulation S.A.S.U.	Sitek Insulation S.A.S.U. Fesco C		
Roof Deck (Deck)			
Steel			



BITUMINOUS – TORCH APPLIED / SELF ADHERED ROOF SYSTEMS ON CONCRETE DECK

SikaShield® TORCH APPLIED / SELF ADHERED BITUMINOUS ROOF WATERPROOFING WITH MECHANICALLY FASTENED THERMAL INSULATION ON CONCRETE DECK

Roofing Waterproofing Cap Sheet (Cap Ply)			
Sika Services AG	SikaShield® HB79 MG 4 mm		
Adhesion of C	Adhesion of Cap Sheet to Base Sheet (Securement form Cap Ply to Base Ply)		
	Torched		
	Roofing Waterproofing Base Sheet (Base Ply)		
Sika Services AG	SikaShield® E54 PE 3 mm (torch applied) SikaShield® E74 PE SA 3 mm (self adhered)		
Adhesion o	f Base Sheet to Thermal Insulation (Securement	: – Base Ply)	
Torched / Self Adhered			
Thermal Insulation (Insulation – Board Stock)			
Kingspan Insulation Ltd	Therma TR 24 Therma TR 27	Polyisocyanurate / Polyurethane (PIR / PUR) Polyisocyanurate / Polyurethane (PIR / PUR)	
Rockwool Ltd	Hardrock Multifix (DD)	Mineral wool	
Faster	ning of Thermal Insulation (Securement - Board	Stock)	
Sika Services AG	Sika Services AG Sarnafast® SBF 6.0 and Sarnafast® DTL 70 x 70		
SFS Group Schweiz AG	BS-4.8 and R75		
OMG	Different faste	ening solutions	
	Vapour Barrier (Vapor Retarder)		
Sika Services AG	SikaShield® V	B P42 S 3 mm	
Adhesion of Vapour Barrier (Vapor Retarder)			
Torched			
Substrate Primer			
Sika Services AG	Sika Services AG Sika® Igoflex® P-01 IT		
Roof Deck (Deck)			
Reinforced Concrete (Structural Concrete)			

() Description according to RoofNav



BITUMINOUS – TORCH APPLIED / SELF ADHERED ROOF SYSTEMS ON CONCRETE DECK

SikaShield® TORCH APPLIED / SELF ADHERED BITUMINOUS ROOF WATERPROOFING WITH THERMAL INSULATION ON CONCRETE DECK

Roofing Waterproofing Cap Sheet (Cap Ply)		
Sika Services AG SikaShield® HB79 MG 4 mm		
Adhesion of C	ap Sheet to Base Sheet (Securement form Cap P	ly to Base Ply)
	Torched	
	Roofing Waterproofing Base Sheet (Base Ply)	
Sika Services AG	SikaShield® E54 PE 3 mm (torch applied) SikaShield® E74 PE SA 3 mm (self adhered)	
Adhesion o	f Base Sheet to Thermal Insulation (Securement	: – Base Ply)
Torched / Self Adhered		
	Thermal Insulation (Insulation - Board Stock)	
Kingspan Insulation Ltd	Therma TR 24 Therma TR 27	Polyisocyanurate / Polyurethane (PIR / PUR)
Rockwool Ltd	Hardrock Multifix (DD)	Mineral wool
Adhes	sion of Thermal Insulation (Securement - Board	Stock)
	Hot Asphalt	
OMG	OMG OlyBond 500® Adhesive Fastener	
	Vapour Barrier (Vapor Retarder)	
Sika Services AG	SikaShield® VB P42 S 3 mm	
Adhesion of Vapour Barrier (Vapor Retarder)		
Torched		
Substrate Primer		
Sika Services AG Sika® Igoflex® P-01 IT		
Roof Deck (Deck)		
Reinforced Concrete (Structural Concrete)		




SIKA ROOFING SYSTEMS WITH FM APPROVED ROOF ASSEMBLIES AND PRODUCTS

WHERE TO FIND ROOF ASSEMBLIES AND PRODUCTS?



Approved assemblies and products can be found on the following homepage: **FM RoofNav** (fmglobal.com) The registration in advance is mandatory.

Since the FM approved roof assemblies cannot always fully meet the project specific roof build-up requested, technical solution is always subject of a FM Global Engineer acceptance.





OF THE SERVICES AS A DODGIME A SAFETORY MILITIAL ADDROVALS BOD SIVA BODGIME SYSTEMS AND THE

FURTHER ROOFING PUBLICATIONS AVAILABLE FROM SIKA














WE ARE SIKA

Sika is a specialty chemicals company with a leading position in the development and production of systems and products for bonding, sealing, damping, reinforcing and protecting in the building sector and the motor vehicle industry. Sika's product lines feature concrete admixtures, mortars, sealants and adhesives, structural strengthening systems, industrial flooring as well as roofing and waterproofing systems.

Our most current General Sales Conditions shall apply. Please consult the most current local Product Data Sheet prior to any use.











ContactPhone +41 58 436 40 40
www.sika.com

